



*Quality You Can  
Trust...From  
North America's  
Largest Roofing  
Manufacturer!™*

*[gaf.com](http://gaf.com)*

# ARMORSHIELD™

## SERIES

S B S M O D I F I E D I R S H I N G L E S



Get Extra Protection For  
Your Most Valuable Asset!





Also Available

## Glenwood® Shingles offer authentic beauty & formidable protection.

Due to their robust triple-layer design, Glenwood® Shingles also pass the UL 2218 Class 4 Impact-Resistance Test.

When it came to creating the industry's most authentic wood shake-look shingle, we broke the mold.

Glenwood® Shingles feature a triple-layer design that will give your roof the ultra-dimensional, highly desirable look of authentic hand-cut wood shakes.

No other triple-layer asphalt shingle matches the thickness of Glenwood® Shingles. Distinguish your home with a premium wood-shake look that carries a UL Class A fire rating and offers lower maintenance when compared to traditional untreated wood shakes.

With their ultra thickness and staggered exposure, Glenwood® Shingles' industry-leading triple-layer construction provides maximum dimensionality and extra protection.

**Note:** It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.





**Chelsea Gray**



**Weathered Wood**



**Adobe Clay**



## Unique Specifications

### Glenwood® Shingles

- Passes UL 2218 Impact-Resistance Test with Class 4 rating (highest possible)
- Lifetime Ltd. transferable warranty<sup>1</sup>
- Fiberglass asphalt construction
- Size: 12 1/4" x 36 5/16" (311 x 922 mm) with 4 1/2" (114 mm) exposure
- StainGuard® protection<sup>2</sup>
- UL Listed to ANSI/UL 790 Class A
- Miami-Dade County Product Control approved
- Florida Building Code approved
- ICC approved
- Texas Department of Insurance listed
- Classified in accordance with AC438
- ASTM D7158, Class H
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F
- ASTM D3462<sup>3</sup>
- Approx. 90 pieces/square  
9 bundles/square  
360 nails/square

\*1 square = 100 sq. ft. (9.3 m<sup>2</sup>)

**Note:** Do not install Glenwood® Shingles on roofs with slopes of 2:12; doing so will void the applicable warranty. Glenwood® Shingles installed on roofs with slopes of 3:12 to 4:12 require special installation in order to qualify for warranty coverage. Please visit [gaf.com](http://gaf.com).

<sup>1</sup> See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the GAF Shingle & Accessory Ltd. Warranty and means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime Ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

<sup>2</sup> See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions.

<sup>3</sup> Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

**Note:** It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.





**Autumn Harvest**



**Dusky Gray**



**Golden Prairie**