



Quality You Can  
Trust...From  
North America's  
Largest Roofing  
Manufacturer!™

[gaf.com](http://gaf.com)

# ARMORSHIELD™

## SERIES

S B S   M O D I F I E D   I R   S H I N G L E S



Get Extra Protection For  
Your Most Valuable Asset!





**Grand Sequoia®  
ArmorShield™  
SBS Modified IR Shingles  
combine the look of  
rugged wood shakes  
with the protection  
of a UL 2218  
Class 4-rated shingle!**

For a rugged wood-shake look, consider Grand Sequoia® ArmorShield™ SBS Modified IR Shingles. They're a fraction of the cost of traditional slate or wood shakes, and they pass UL 2218 Class 4 Impact-Resistance Testing.

Grand Sequoia® ArmorShield™ SBS Modified IR Shingles feature artisan-crafted shapes combined with oversized tabs and a dimensional design, resulting in a sophisticated beauty unmatched by typical shingles. Their specially formulated color palette is designed to accentuate the shingle's natural appeal.



***Note:** It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.*







**Weathered Wood**



**Charcoal**



## Unique Specifications

### Grand Sequoia® ArmorShield™ SBS Modified IR Shingles

- Passes UL 2218 Impact-Resistance Test with Class 4 rating (highest possible)
- SBS modified asphalt formula and an added fiberglass backing for impact resistance
- Lifetime ltd. transferable warranty<sup>1</sup>
- Fiberglass asphalt construction
- Size: 17" (432 mm) x 40" (1,016 mm) with 5" (127 mm) exposure
- StainGuard® protection<sup>2</sup>
- UL Listed to ANSI/UL 790 Class A
- Florida Building Code approved
- ICC approved
- Texas Department of Insurance listed
- Classified in accordance with AC438
- ASTM D7158, Class H
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F
- ASTM D3462<sup>3</sup>
- Approx. 72 pieces/square\*  
4 bundles/square\*  
360 nails/square\*

\*1 square = 100 sq. ft. (9.3 m<sup>2</sup>)

### Seal-A-Ridge® ArmorShield™ SBS Modified IR Ridge Cap Shingles

- Passes UL 2218 Impact-Resistance Test with Class 4 rating (highest possible)
- SBS modified asphalt formula
- Lifetime ltd. transferable warranty<sup>1</sup>
- Fiberglass asphalt construction
- 5" (127 mm) exposure
- Approx. 12" (305 mm) wide
- StainGuard® protection<sup>2</sup>
- UL Listed to ANSI/UL 790 Class A
- Florida Building Code approved
- ICC approved
- 4 bundles cover approximately 100 lineal feet (30.5 m)
- Approx. 2 nails per piece
- Approx. 60 pieces/bundle



<sup>1</sup> See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the GAF Shingle & Accessory Ltd. Warranty and means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

<sup>2</sup> See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions.


<sup>3</sup> Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.



**Note:** It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.







**Adobe Sunset**



**Dusky Gray**